

MATH 5620 NUMERICAL ANALYSIS II
HOMEWORK 5, DUE FRIDAY APRIL 6 2012

Problem 1 Consider the Poisson equation

$$\begin{aligned} \Delta u &= f(x, y) && \text{for } x \in [0, 1] \text{ and } y \in [0, 1] \\ u(x, y) &= 0 && \text{if } x = 0 \text{ or } x = 1 \text{ or } y = 0 \text{ or } y = 1. \end{aligned}$$

With

$$f(x, y) = \sin(\pi x) \sin(2\pi y),$$

the true solution is

$$u(x, y) = -f(x, y)/(5\pi^2).$$

Use the finite difference method with $x_i = ih$, $i = 0, \dots, n + 1$ and $y_j = jh$, $j = 0, \dots, n + 1$, for the values $n = 10, 50, 100$ and $h = 1/(n + 1)$. Compute the maximum absolute error in your approximation and produce a log-log plot with h in the abscissa and the error in the ordinate. Is this plot consistent with the expected $\mathcal{O}(h^2)$ convergence rate?

Notes:

- You may find it easier to write the discretization matrix with Matlab's `kron` (in Octave replace by `spkron`).
- See class notes ([math5620s12.07.pdf](#) p99)
- You may use Matlab's backslash to solve the system.
- Your system matrix should be $n^2 \times n^2$. Think of using matrix operations to put values in lexicographic ordering:

```
x = linspace(0,1,n+2); y = linspace(0,1,n+2);
[X,Y] = ndgrid(x(2:n+1),y(2:n+1));
uttrue = @(x,y) ... % some function
Utrue = uttrue(X,Y);
```

The matrix `Utrue` is $n \times n$ and such that

$$Utrue(i, j) = uttrue(x(i+1), y(j+1))$$

Since the vector `Utrue(:)` contains the columns of `Utrue` concatenated, it corresponds to ordering the nodes by y and then by x as in the following example with $n = 3$ (which includes only the nodes that are not on the boundary)

$$\begin{array}{ccc} & 7 & 8 & 9 \\ y \uparrow & 4 & 5 & 6 \\ & 1 & 2 & 3 \\ & \rightarrow & & \\ & x & & \end{array}$$

where the arrows indicate the direction of increasing values of the corresponding variables.

Problem 2 Consider the parabolic PDE (heat equation)

$$\begin{aligned} u_t &= u_{xx} && \text{for } t > 0 \text{ and } x \in [0, 1], \\ u(x, 0) &= \eta(x) && \text{for } x \in [0, 1], \\ u(0, t) &= u(1, t) = 0 && \text{for } t > 0, \end{aligned}$$

Use the Crank-Nicholson method with the space discretization $x_i = ih$, $i = 0, \dots, n+1$, $h = 1/(n+1)$, $n = 100$ and time discretization $k = 1/1000$ to approximate the solution for the initial conditions

- (a) $\eta(x) = \sin(\pi x)$
- (b) $\eta(x) = \sin(\pi x) + \sin(10\pi x)$

Please include snapshots of both solutions at times $t = 2k$ and $t = 5k$.

Notes:

- With these particular boundary conditions the method can be written as

$$U^{n+1} = (I - (k/2)A)^{-1}(I + (k/2)A)U^n$$

where A is the usual finite difference discretization of the 1D Laplacian.

- You may use Matlab's backslash to solve the systems at each iteration.